



**Botico**  
Making products, delivering Success

## BOTFAT NF

### CHARACTERISTICS

*Appearance:*

Brown liquid

*Base:*

Sulphonated neatsfoot oil substitute.

*Solids:*

60 (+/- 2) %

*pH (@ 10% aqueous soln.):*

7.0 - 8.0

*Charge:*

Anionic

*Light Fastness:*

Good

**Sulphonated neatsfoot oil substitute.**

BOTFAT NF gives leathers a classic look with a full handle.

BOTFAT NF has a strong surface lubricating effect on outer layers and resultant leather feels soft and is particularly suitable for vacuum dried leather.

When used along with vegetable tanned leathers provides elastic grain and higher resistance against grain crack.

It is preferable to mix with anionic sulphited fatliquors like BOTFAT SP to improve is stability during application.

It is sensitive to hard water, electrolites and unfixed retanning agents.

### Application

Recommended to use BOTFAT NF @ 2 - 3 % along with other fatliquors while processing different types of leathers

### REACH COMPLIANT

Date of issue

05-01-2024

### shelf life

The product can be stored in its original packaging between 5°C and 35°C for 8 months.

The information and recommendations given are provided on the basis of our best current knowledge, supported by applied experience and accurate testing. However, this information does not constitute a guarantee or responsibility for product use, which must always be checked and evaluated by each individual client.